


# Svante - baby leggings with a lovely cable



Design: Sanne Bjerregaard

Lovely baby leggings with a cable down one leg.

2nd English edition - July 2019 © Filcolana A/S  
English translation: Signe Strømgaard

## Materials

100 (100) 100 (150) g of Anina by Filcolana in color 1061

3 mm double-pointed or straight needles  
2,5 and 3 mm circular needle, both 40 cm long  
4 stitch markers

## Sizes

3 (6-9) 12-18 (24) months

## Measurements

Length (at inseam): 20 (24) 28 (30) cm

## Gauge

34 sts and 40 rows in lightly stretched rib = 10 x 10 cm

## Directions for knitting

The leggings are worked from the bottom up. The pattern has instructions both for working in the round on double-pointed needles and back and forth in straight needles, if this is preferred.

## Special abbreviation and techniques

**M1 (increase):** Make 1. Increase one stitch by lifting the chain between sts onto the left needle and knitting it through the back loop. **Skp (decrease):** slip 1 stitch, knit the next stitch, pass the slipped stitch over the knit one.

**Turning stitch (short rows):** Pull the yarn up and over the right needle, slip the first stitch on the left needle as if to purl. Pull the working yarn away from yourself, so the stitch (now on the right needle) is pulled backward, creating a "double stitch". Keep the tension in the yarn while working the next stitch.

When working the "double stitch" on the next row of round, work the stitch as one stitch.

## Cable (see chart on page 2)

**Row 1 (RS):** P2, slip 2 sts onto a cable needle and hold to front of work, p1, k2 from cable needle, slip 1 stitch onto a cable needle and hold to back of work, k2, p1 from cable needle, p2.

**Row 2:** K3, p4, k3.

**Row 3:** P3, slip 2 sts onto a cable needle and hold to back of work, k2, k2 from cable needle, p3.

**Row 4:** Work as Row 2.

**Row 5:** P2, slip 1 stitch onto a cable needle and hold to back of work, k2, p1 from cable needle, slip 2 sts onto a cable needle and hold to front of work, p1, k2 from cable needle, p2.



**Row 6:** K2, p2, k2, p2, k2.  
**Row 7:** P2, k2, p2, k2, p2.  
**Row 8:** Work as Row 6.  
 Repeat Row 1-8.

### Left leg (worked back and forth)

Cast on 54 (62) 70 (78) sts on 3 mm needles.

**Row 1 (WS):** \*K2, p2\*. Repeat from \* to \* to the last 2 sts, k2.

**Row 2:** K1, p1, \*k2, p2\*. Repeat from \* to \* until there are 32 (36) 40 (48) sts on the right needle, place a marker, work Row 1 of Cable across the next 10 sts, place a marker, \*k2, p2\*. Repeat from \* to \* to the last 4 sts, k2, p1, k1. (the markers mark the cable)

Continue as established, working in rib and repeating the 8 rows of the cable while AT THE SAME TIME working and increase row every 10th (12th) 14th (14th) row a total of 6 times.

**Increase row (RS):** K1, M1, work to the last stitch, M1, k1.

New sts are worked in rib. There are now 66 (74) 82 (90) sts on the needle.

Work straight as established until the leg measures 20 (24) 28 (30) cm. End on a RS row.

**Next row (WS):** K2tog, work in rib to the last 2 sts, k2tog.

There are now 64 (72) 80 (88) sts on the needle. Break the yarn, let the work rest and knit the right leg.

### Left leg (worked in the round)

Cast on 52 (60) 68 (76) sts on 3 mm double-pointed needles. Join in the round and place a marker for the beginning of the round.

**Round 1:** K1, p2, \*k2, p2\*. Repeat from \* to \* to the last stitch, k1.

**Round 2:** K1, p2, \*k2, p2\*. Repeat from \* to \* until you have worked a total of 31 (35) 39 (47) sts, place a marker, work Row 1 of the Cable across the next 10 sts, place marker, \*k2, p2\*. Repeat from \* to \* to the last stitch, k1. (the markers mark the cable)

**Please note:** When working in the round, you work all of the even numbered rows of the cable as the stitches present (knit the knit sts and purl the purl sts)

Continue as established, working in rib and repeating the 8 rows of the cable while AT THE SAME TIME working and increase row every 10th (12th) 14th (14th) round a total of 6 times.

**Increase round (RS):** K1, M1, work to the last stitch, M1, k1.

New sts are worked in rib. 64 (72) 80 (88) m.

Work straight as established until the leg measures 20 (24) 28 (30) cm. End on a RS row.

Break the yarn, let the work rest and knit the right leg.

### Right leg (worked back and forth)

Cast on 54 (62) 70 (78) sts on 3 mm needles.

**Row 1 (WS):** \*k2, p2\*. Repeat from \* to \* to the

Chart - wedge





Chart - cable



knit on the RS, purl on the WS

purl on the RS, knit on the WS

k2tog

skp

p2tog

Slip 2 sts to a cable needle and hold to front of work, p1, k2 from cable needle

Slip 1 stitch to a cable needle and hold to back of work, k2, p1 from cable needle

Slip 2 sts to a cable needle and hold to back of work, k2, k2 from cable needle

\* Se opskrift

last 2 sts, k2.

**Row 2:** K1, p1, \*k2, p2\*. Repeat from \* to \* to the last 4 sts, k2, p1, k1.

Continue as established, working in rib while **at the same time** working and increase row every 10th (12th) 14th (14th) row a total of 6 times.

**Increase row (RS):** K1, M1, work to the last stitch, M1, k1.

New sts are worked in rib. There are now 66 (74) 82

(90) sts on the needle.

Work straight as established until the leg measures 20 (24) 28 (30) cm. End on a RS row.

**Next row (WS):** K2tog, work in rib to the last 2 sts, k2tog.

There are now 64 (72) 80 (88) sts on the needle.

### Right leg (worked in the round)

Cast on 52 (60) 68 (76) sts on 3 mm double-pointed needles. Join in the round and place a marker for the beginning of the round.

**Round 1:** K1, p2, \*k2, p2\*. Repeat from \* to \* to the last stitch, k1.

Continue as established, working in rib while **at the same time** working and increase row every 10th (12th) 14th (14th) round a total of 6 times.

**Increase round (RS):** K1, M1, work to the last stitch, M1, k1.

New sts are worked in rib. There are now 64 (72) 80 (88) sts on the needle.

Work straight as established until the leg measures 20 (24) 28 (30) cm. End on a RS row.

### Join both legs on a 3 mm circular needle, while at the same time, casting on new sts for wedges:

Work the right leg in pattern onto the circular needle, place a marker, cast on 6 new sts in extension of the sts on the needle (for the mid back wedge), place a marker, work the right leg in pattern onto the circular needle continuing the cable pattern, place a marker, cast on 6 new sts in extension of the sts on the needle (for the mid front wedge), place a marker and join the work in the round. This is now the beginning of the round. There are now 140 (156) 172 (188) sts on the needle.

Continue as established in rib and working the cable on the left half.

**Please note:** When working in the round, you work all of the even numbered rows of the cable as the stitches present (knit the knit sts and purl the purl sts)

At the same time working the wedge sts between the markers according to the chart, remove the markers before the last set of decreases on Row 12 of the chart and place one marker between the two remaining wedge sts both front and back. There are now 128 (144) 160 (176) sts on the needle.

Continue as established until the work measures approx. 15 (17) 19 (21) cm from where sts were cast-on for the wedges. End on Row 7 of the Cable.

### For a better fit, short rows are worked to raise the back (back and forth on the circular needle):

Work in pattern to the mid back marker, work 5 sts in rib, turn.

**Next row (WS):** 1 turning stitch, 4 sts in rib, slip marker til right needle, 5 sts in rib, turn.

**Next row:** 1 turning stitch, 4 sts in rib, slip marker, 15 sts in rib, turn.

**Next row:** 1 turning stitch, 14 sts in rib, slip marker, 15 sts in rib, turn.

**Next row:** 1 turning stitch, 14 sts in rib, slip marker,

25 sts in rib, turn.

**Next row:** 1 turning stitch, 24 sts in rib, slip marker, 25 sts in rib, turn.

**Next row:** 1 turning stitch, 24 sts in rib, slip marker, 35 sts in rib, turn.

**Next row:** 1 turning stitch, 34 m i rb, remove marker, 35 sts in rib, turn.

**Next round (RS):** 1 turning stitch, work in rib and work the cable to end of round.

Work 1 round as established (Cable Row 8)

Change to a 2,5 mm circular needle and continue in rib and still with the cable on the left leg, repeating the 8 rows of the Cable a total of 2 times. Work Row 1-3 of the Cable once more. Bind off in pattern.

### Finishing

Sew the inseam using mattress stitch (if the legs were worked back and forth). Weave in the ends. Gently wash the finished pants and lay it flat on a towel to dry.